



INVITATION TO TENDER

District of Lantzville

SINGLE AXLE, 5 TON DUMP TRUCK

Signed Tender Forms in a sealed envelopes marked "Tender for District of Lantzville, Single Axle, 5 Ton Dump Truck" will be received at the District of Lantzville Municipal Hall at 7192 Lantzville Road, PO Box 100, Lantzville, BC V0R 2H0, up to **1:00 pm local time, on Friday, February 18, 2022.** These Tenders will not be opened in public.

Tender Documents will be available from the District of Lantzville's website, www.lantzville.ca, on January 25, 2022, from 9:00 am until 3:00 pm Monday to Friday.

Sealed Tenders are to be delivered to the attention of the **Director of Public Works, District of Lantzville 7192, Lantzville Road, PO Box 100 Lantzville, BC V0R 2H0 before 1:00 pm local time on Friday, February 18, 2022** for the supply of the vehicle as described in the attached tender, subject to the attached Instructions to Bidders, General Conditions, Special Conditions, Specification Sheets, and Form of Tender.

Tenders received after the closing time, 1:00 pm, Friday, February 18, 2022 will be returned unopened to the supplier. The District of Lantzville reserves the right to reject any and all proposals, to accept any proposal it considers advantageous and negotiate any proposal. The lowest or any proposal may not necessarily be accepted.

Tenders shall be submitted, in **duplicate** in a sealed envelope. **Ensure that the bidder's name and address as well as the tender reference are clearly shown on the outside of the envelope.**

For further information, please contact:

Fred Spears, Director of Public Works

District of Lantzville, 7192 Lantzville Road, Lantzville, BC V0R 2H0

Telephone: 250.933.2250 | Facsimile: 250.390.5188

email: spears@lantzville.ca



District of Lantzville

Invitation to Tender

The District of Lantzville (hereinafter referred to as the “District”) is requesting Tenders for the supply of the following vehicle in accordance with the Tender Specifications attached:

NEW SINGLE AXLE, 5 TON DUMP TRUCK

Tenders are to be delivered to the attention of the **Director of Public Works, District of Lantzville, 7192 Lantzville Road, PO Box 100, Lantzville, BC V0R 2H0 before 1:00 pm local time on Friday, February 18, 2022** for the supply of the vehicle as described in the attached Tender, subject to the attached Instructions to Bidders, General Conditions, Special Conditions, Specification Sheets, and Form of Tender.

Tenders so received will not be opened in public. Tenders received after the closing time will be returned unopened to the supplier. The District of Lantzville reserves the right to reject any and all proposals, to accept any proposal it considers advantageous and negotiate any proposal. The lowest or any proposal may not necessarily be accepted.

Date:

Provided that this Tender is accepted within 60 calendar days from the date of closing, the undersigned offers and agrees to provide the District of Lantzville with the equipment at the prices quoted on the Form of Tender, within the time specified, and in accordance with the terms and conditions set forth in the Tender.

The undersigned undertakes to supply and deliver the specified equipment within _____ calendar days from award of contract.

The Bidder is an Individual Partnership Company (check where applicable) incorporated under the laws of

Names and Address of Individual, Partnership, or Company tendering:

Signature and Title of person authorized to sign Tender: (Print or type name under signature.)

.....
.....
.....
.....

.....
.....
.....

Telephone:

Facsimile:

Addenda

Acknowledgment is hereby made of receipt and inclusion of the following addenda to the Tender documents:

Addendum:

No. _____ dated _____; _____ pages

No. _____ dated _____; _____ pages

INSTRUCTIONS TO BIDDERS

1. **Tender Closing**

Sealed Tenders clearly identified as “Tender for District of Lantzville – New Single Axle, 5 Ton Dump Truck”, made on the Tender Form provided, together with all other documents required will be received by personnel at the District Office addressed to:

**Director of Public Works
The District of Lantzville
7192 Lantzville Road
P.O. Box 100
Lantzville, BC
V0R 2H0**

Tenders shall be submitted, in **duplicate** in a sealed envelope. **Ensure that the Bidder’s name and address as well as the Tender reference are clearly shown on the outside of the envelope.**

Tenders will be received up to **1:00 pm local time, Friday, February 18, 2022.**

Tenders received after the closing time will be returned unopened.

It is the Bidder’s responsibility to allow sufficient time for their agent to deliver their Tender by the time and date specified above. The Bidder should instruct their delivery agent to have personnel at the District Office time and date stamp the Tender. The District will upon receipt of Tenders delivered by Canada Post or courier apply their date stamp. However, the District assumes no responsibility for Tenders that are not received at the time of the Tender closing.

2. **Form of Tender**

Tenders must be submitted on the Form of Tender provided.

All prices and notations will be typewritten. No erasures or additions to the Tender documents are permitted. In the case of mistake in extension of price, unit price will govern. In case of mistake, the mistake will not be erased but will be crossed out with correction typewritten or written in ink adjacent thereto. Such corrections will be initialed by the authorized signing officer.

3. Specification Forms

Bidders are required to complete the specification forms provided.

Where any of the requirements listed are standard equipment on the particular equipment being tendered, this must be noted in the right-hand column opposite the appropriate items on the specification sheets.

Any deviations from the specifications shall be separately noted in the space provided on the specification sheets, with separate information required attached.

4. Prices

Prices quoted are to be delivered F.O.B. to the District of Lantzville plus all applicable taxes extra. Goods and Services Tax (GST) is to be shown as a separate item on the Form of Tender.

5. Oral and Facsimile Tenders

Oral or facsimile Tenders will **not** be accepted. In order to be considered, Tenders must be submitted in a sealed envelope and received by the personnel at the front desk at the District Office on or before the closing time and date stated on the face of this Tender.

6. Signature Required

All Tenders must be signed in the place provided on the front page and on the form of Tender by an officer or employee having authority to bind the Bidder by his signature.

7. Acceptance

Tenders submitted will be irrevocable and open for acceptance for 60 (sixty) days following closing date.

The right is reserved, as the interests of the District may require, rejecting any or all Tenders and to waive any minor informality or irregularity in Tenders received. The lowest or any Tender will not necessarily be accepted. Tenders which contain qualifying conditions or otherwise fail to conform to these Tender documents may be disqualified or rejected.

The award of any contract shall be based on the evaluation of the Tenders by the District on any basis, including but not limited to the following criteria:

- a) the overall cost impact of the Tender on the operations of the District;
- b) the reputation and experience of the Bidder and of the Bidder's staff to be allocated to the work, the supply of the goods and services or the supply of any equipment required by this Tender;
- c) the technical credibility, financial resources, and environmental responsibility of the supplier;
- d) the District's assessment of the capability of the Bidder and the Bidder's staff to supply the goods, services, or equipment within the time frame required by the District;
- e) the best value to the District based on quality and availability of service, price, and any criteria set out herein based solely on the District's assessment of the Tender.

The Bidder acknowledges and agrees that the District will not be responsible for any costs, expenses, losses, damage, or liability incurred by the Bidder as a result of; or arising out of submitting a Tender for the proposed contract, or due to the District's acceptance or non-acceptance of their Tender.

8. Withdrawal

Tenders may be withdrawn by written notice only, provided such notice is received by personnel at the District of Lantzville Municipal Hall prior to the closing time and date set for receiving Tenders.

GENERAL CONDITIONS

1. **Award of Tender**

The contract will be awarded in accordance with the criteria set out in section 7 (Acceptance) of the Instructions to Bidders and any additional criteria set out in these General Conditions and any Special Conditions and Special Forms attached hereto.

2. **Payment**

Payment by the District will be made within 30 days after completion of the work and/or delivery of tendered equipment, receipt of invoice, and acceptance by the District of Lantzville. The purchased equipment will not be accepted for payment until all conditions and tendered specifications have been met.

3. **Notices**

Any notice required to be given in this contract shall be deemed to be duly given to the District if sent by registered mail addressed to the District of Lantzville, PO Box 100, Lantzville, BC, V0R 2H0 and to the contractor if sent by registered mail at the address set forth in the Tender.

4. **Ownership of Tender & Freedom of Information**

All documents submitted in response to this Tender shall become the property of the District of Lantzville and as such will be subject to the disclosure provisions of the *Freedom of Information and Protection of Privacy Act*.

5. **Queries**

All queries regarding the technical specification of this Tender can be made by contacting Fred Spears, Director of Public Works by phone: 250.933.2250 or email: fspears@lantzville.ca.

SPECIAL CONDITIONS

1. **Tendered Equipment**

The tendered equipment shall be less than one year old and of good commercial quality, treated to resist rust, corrosion and wear encountered in normal municipal works service and shall be complete with all necessary accessories for operation.

The design of the mechanical members shall be such that the stress imposed through normal shock loads at maximum engine torque shall not cause rupture or permanent deformation or undue wear on any member.

2. **Warranty**

Indicate on the Form of Tender, the length of the warranty tendered on all work, services, and equipment.

The warranty will not commence until the equipment is accepted and put into service. The District will advise the date.

3. **Parts & Service**

The successful Bidder is required to maintain a service facility within 50 kilometers of the working location of the tendered equipment, staffed with qualified service personnel and with provisions for storing a representative supply of parts for the equipment being tendered.

4. **Descriptive Literature & Specifications**

Bidders are required to provide a copy of the latest printed specifications and descriptive literature on the tendered equipment.

5. **Delivery**

The equipment ordered shall be delivered to the District of Lantzville Municipal Hall at 7192 Lantzville Road, Lantzville BC or different place within the Municipality as directed by the District Director of Public Works.

6. **Parts & Service Manuals**

Successful Vendor shall supply one parts book, one service and repair manual, one operator manual and three sets of keys at time of delivery of purchased equipment.



District of Lantzville

SPECIFICATIONS FOR

SINGLE AXLE, 5 TON DUMP TRUCK

General Description

State Make: _____

State Model: _____

State Model Year: _____

State Total Operating Weight as Tendered: _____

State Engine Gross HP: _____

Standard Specifications

Meets Specs Yes No or Equivalent

2021-2022 Year Model _____

Conventional Chassis _____

Setback Axle – Truck _____

General Service

Truck Warranty _____

Expected Front Axle Load: 12,000 lbs. _____

Expected Rear Drive Axle Load: 21,000 lbs. _____

Rated Maximum Vehicle Capacity – GVWR: 33,000 lbs. _____

Engine

CUM ISB 6.7 – 260 HP @ 2300 RPM, 660 LB/FT @ 1600 RPM _____

Electronic Parameter

Cruise Control _____

PTO Mode Engine RPM Limit – 1100 RPM _____

PTO RPM With Cruise Set Switch – 700 RPM _____

PTO Mode Cancel Vehicle Speed – 10 KPH _____

PTO Governor Ramp Rate – 250 RPM Per Second _____

PTO Minimum Rate RPM – 700 _____

Engine Equipment

Onboard Diagnostics _____

12V 160 AMP Alternator with Remote Battery Volt Sense _____

(2) Alliance Model 1131, Group 31, 12 Volt Maintenance Free Batteries _____

1850 CCA Threaded Stud Batteries (or equal) _____

18.7 CFM Air Compressor with Internal Safety Valve _____

Standard Air Compressor Governor and Discharge Line _____

Exhaust Brake with Dash Switch _____

Engine Aftertreatment Device _____

Automatic Over the Road Regeneration and Dash Mounted Regeneration Request Switch _____

Exhaust Fluid 6-gallon Tank _____

Standard Diesel Exhaust Fluid Pump _____

Full Flow Oil Filter _____

950 sq. in. Aluminum Radiator _____

Gates Blue Stripe Coolant Hoses (or equal) _____

Constant Tension Hose Clamps _____

Radiator Drain Valve _____

Lower Radiator Guard _____

Delco 12V 38MT HD Starter with Magnetic Switch _____

750 WATT/115 Volt Block Heater _____

Transmission

Allison 2500 RDS Automatic 5 Speed Transmission with PTO Prevision _____

Transmission Equipment

Vehicle Interface Wiring with Body Builder Connector Mounted end of Frame _____

Chelsea 277 Series PTO _____

PTO Mounting, LH Side of Transmission _____

Dash Mount Push Button Electronic Shift Control Dash Mounted _____

Water to oil Transmission Cooler, In radiator end Tank _____

Electronic Transmission Oil Level Check _____

Synthetic Transmission Fluid (TES-295 Compliant) _____

Front Axle and Equipment

Drop Single Axle 12,000 lbs. _____

Non-Asbestos Front Brake Lining _____

SKF Scotseal Plus Front Oil Seals _____

Vented Front Hub Caps with Window _____

Power Steering Pump _____

2 Quart See Through Power Steering Reservoir _____

Synthetic Axle Lube _____

Front Suspension

12,000# Dual Taperleaf Front Suspension _____

Front Shocks _____

Rear Axle and Equipment

Detroit DA-RS-21.0-4 21,000# R-Series Single Rear Axle _____

5.88 Rear Axle Ratio _____

Non-Asbestos Rear Brake Lining _____

SKF Scotseal Plus Rear Oil Seals _____

Hadex Automatic Rear Slack Adjusters _____

Synthetic 75W-90 Rear Axle Lube _____

Rear Suspension

21,000 lbs. 52-inch Variable Rate Muti-Leaf Spring Rear Suspension
with Rubber Helper, 4500lb _____

Spring Suspension - No Axle Spacers _____

Brake System

Air Brake Package _____

Reinforced Nylon, Fabric Braid and Wire Braid Chassis Air Lines _____

Fiber Braid Parking Brake Hose _____

Standard Brake System Valves _____
Standard Air System Pressure Protection System _____
BW AD-9 Brake Line Air Dryer with Heater _____
Steel Air Brake Reservoirs _____

Trailer Connections

Air Connection and Electrical Connection with Ball Hitch _____

Wheelbase & Frame

3875MM (153 inch) Wheelbase _____
11/32x3-1/2x10-3/16-inch Steel Frame _____
Front Closing Crossmember _____
Standard Weight Engine Crossmember _____
Standard Midship #1 Crossmember _____
Standard Rearmost Crossmember _____
Standard Suspension Crossmember _____

Chassis Equipment

14 Inch Steel Bumper _____
Front Tow Hooks - Frame Mounted _____
Front and Rear mountings For License Plate _____
Pintle Hitch on Rear of Truck _____
Fender And Front of Hood Mounted Front Mudflaps _____

Fuel Tanks

- 190 Litre Aluminum Fuel Tank _____
- Fuel Tank Forward _____
- Fuel Filter/Water Separator with Primer Pump _____
- Equiplo Inboard Fuel System _____
- High Temperature Reinforced Nylon Fuel Line _____

Tires

- Goodyear G661 HSA 11R22.5 14 Front Ply Radial _____
- Goodyear G338 11R22.5 14 Ply Rear Radial _____

Hubs

- Pre-Set Bearing Iron Front and Rear Hubs _____

Wheels

- 28828 22.5X8.25 10-Hub Pilot 2-Hand HD Steel Disc Front and Rear Wheels _____

Cab Exterior

- Air Cab Mounts _____
- Nonremovable Bug Screen Mounted Behind Grille _____
- Fiberglass Hood _____
- Grab Handles L/R For Cab Entry _____
- Standard Light Package _____
- Dual West Coast Mirrors _____
- Standard Side and Rear Deflectors _____

Cab Interior

Deluxe Interior Trim	_____
Heater, Defroster and Air Conditioning	_____
Heavy Duty Air Conditioner Compressor	_____
Basic High Back Air Suspension Driver Seat W/Mech. Lumbar Cushion	_____
Vinyl Driver and Passenger seats	_____
Low Air Pressure Light and Buzzer	_____
Primary and Secondary Air Pressure Gauges	_____
Odometer/Trip/Hour/Diagnostic/Voltage Display	_____
Diagnostic Interface Connector, 9 Pin, SAE J1939	_____
Engine Coolant Gauge	_____
Transmission Oil Temp. Gauge	_____
Engine Oil Temp. Gauge	_____
Engine Oil Pressure Gauge	_____
Power Source	_____
USB Port	_____
Electronic 3000 RPM Tachometer	_____
Hoist Controls Conveniently Located	_____

Color

Paint: Solid Color White	_____
Bumper: Silver	_____
Dump Box: Grey	_____

Truck Accessories

Full Size Dump Box (6 cubic meter min capacity) with pneumatic tailgate locks and cab protector, C/W shovel rack _____

Pinned Tailgate with an 18" X 18" min. sliding door _____

Front Mounted Snowplow (min size 9'wide x 28" high straight blade with lights _____

Current Parts Book _____

Current Service Manual (Overhaul/Repair)
c/w Electrical and Hydraulic Schematics _____

Operators Safety Manual _____

Sets of Keys, State Number of Sets (min. 3): _____

Service Center within 60 minutes of Lantzville _____

Attach Additional Specifications Here

District of Lantzville - FORM OF TENDER

SUPPLY OF SINGLE AXLE, 5 TON DUMP TRUCK

Description	Unit Price	PST	GST	Total
Single Axle Dump Truck as per tendered specifications	\$	\$	\$	\$
Environmental Taxes, Documentation, Delivery to Lantzville	\$	\$	\$	\$
<p>Delivery Date from Time of Firm Order: _____</p> <p>Location of Parts and Service Depot: _____</p> <p>Date: _____</p> <p>Company Name: _____</p> <p>Authorized Signature: _____</p> <p>Title: _____</p>				
Total Price				\$